

Certificate of Analysis

Company: King Cola, LLC

Sample ID: HL 10 CUVÉE

Lot: 10

Report Date: 4/25/2024

Matrix: Flower

Date Analyzed: 4/25/2024

Customer ID: 230224-2

Date Sampled: N/A

Analyst: 018

Grower License #: SCLT0161

Date Received: 4/15/2024

Report ID: C240415BH

Pathogen Summary

Target Pathogens	Method	LOD (cfu/g)	Result (cfu/g)
Aspergillus - flavus, fumigatus, niger, terreus	Aspergillus AOAC PTM No. 032104	5	< LOD
STEC	STEC Virx AOAC PTM No. 121203	5	< LOD
Salmonella spp.	Salmonella II AOAC PTM No. 010803	5	< LOD



Test Methodology: Bio-Rad IQ-Check PCR Kits

cfu/g = colony forming units per gram

LOD = The lowest quantity that this method can reliably detect. Any microbial growth that was not detected is assumed to be less than the stated LOD (<LOD).

Reagent Blanks: <LOD for all analytes

This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

 Certified by: 
 Luke Emerson Mason (Laboratory Director, Bia Diagnostics)