Flower

Sample ID: BIA240709S0006 Strain: Dos Si Dos

Bia Diagnostics

Matrix: Plant Type: Bulk Flower Sample Size: 5.8 g Produced: Collected: Received: 07/09/2024 Completed: 07/18/2024 Batch#: HL 11

King Cola Lic. # SCLT0161 Po Box 17 Williamstown, VT 05679



Summary		
Test	Date Tested	Result
Sample		Complete
Cannabi <mark>noids</mark>	07/12/2024	Complete
Moisture	07/10/2024	12.10% - Complete
Water Activity	07/10/2024	0.601 aw - Complete
Terpenes	07/10/2024	Complete
Microbials	07/18/2024	Complete

Cannabinoids Completed

	20.42% Total THC		0.06% Total CBD		23.81% Total Cannabinoids
Analyte	LOQ	Results	Results	Mass	
CBDVa CBDV CBDa CBGa CBG CBD THCV CBN Δ9-THC Δ10-THC CBC THCa Total THC Total CBD	mg/g 0.0005 0.0012 0.0008 0.0008 0.0019 0.0019 0.0021 0.0013 0.0020 0.0019 0.0002 0.0002 0.0024 0.0034	% <loq 0.06="" 0.06<="" 0.07="" 0.14="" 0.39="" 0.98="" 20.42="" 22.17="" <loq="" td=""><td>mg/g <loq 0.58<="" 0.6="" 0.7="" 1.4="" 204.24="" 221.7="" 3.9="" 5.8="" <loq="" td=""><td>mg/serving</td><td></td></loq></td></loq>	mg/g <loq 0.58<="" 0.6="" 0.7="" 1.4="" 204.24="" 221.7="" 3.9="" 5.8="" <loq="" td=""><td>mg/serving</td><td></td></loq>	mg/serving	
Total		23.81	238.10	0.00	

Analyst: 056

Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)

Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:

TotalTHC=(THCAx0.877)+Δ9-THC

Total CBD = (CBDA x 0.877) + CBD Reagent

Blanks: < LOQs for all analytes

LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the particular quantity subject to measurement. $\Delta 9$ -THC MU = $\pm 0.005\%$ Total THC MU = $\pm 0.007\%$ All other cannabinoid MU values are available upon request.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.



Luke Emerson-Mason

Laboratory Director 07/18/2024

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



2 of 3

Flower

Sample ID: BIA240709S0006 Strain: Dos Si Dos

Matrix: Plant Type: Bulk Flower Sample Size: 5.8 g Lot#:

Produced: Collected: Received: 07/09/2024 Completed: 07/18/2024 Batch#: HL 11

King Cola Lic. # SCLT0161 Po Box 17 Williamstown, VT 05679

Completed Terpenes

A l d	100	D 4 -	Dl4
Analyte	LOQ	Results	Results
2.14	mg/g	mg/g	%
β-Myrcene	0.010	6.896	0.690
Limonene	0.010	5.432	0.543
β-Caryophyllene	0.010	4.402	0.440
Linalool	0.010	2.099	0.210
α-Humulene	0.010	1.292	0.129
Terpinolene	0.010	1.277	0.128
β- <mark>Pinene</mark>	0.010	1.096	0.110
α-Pinene	0.010	0.589	0.059
Camphene	0.010	0.114	0.011
3-Carene	0.010	0.074	0.007
α-Terpinene	0.010	0.034	0.003
Caryophyllene Oxide	0.010	0.030	0.003
y-Terpinene	0.010	0.024	0.002
Geraniol	0.010	0.022	0.002
Eucalyptol	0.010	0.016	0.002
α-Bisabolol	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
cis-Nerolidol	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Guaiol	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Isopulegol	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Ocimene	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
p-Cymene	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
trans-Nerolidol	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Total	0.010	23.398	2.340
Aromas		20.070	2.540

Primary Aromas











Analyst: 048

LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ

Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS Reagent Blanks: < LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.



Luke Emerson-Mason

Laboratory Director 07/18/2024

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



Flower

Sample ID: BIA240709S0006 Strain: Dos Si Dos

Bia Diagnostics
Laboratories

Matrix: Plant Type: Bulk Flower Sample Size: 5.8 g Lot#: Produced: Collected: Received: 07/09/2024 Completed: 07/18/2024 Batch#: HL 11 Client
King Cola
Lic. # SCLT0161
Po Box 17
Williamstown, VT 05679

Pathogens Completed

Pathogens	LOD	Results
	CFU/g	CFU/g
Aspergillus	5	Not Detected
Shiga Toxin E. Coli	5	Not Detected
Salmonella SPP	5	Not Detected

Analyst: 018

Test Methodology: Bio-Rad IQ-Check PCR Kits

cfu/g = colony forming units per gram

LOD = The lowest quantity that this method can reliably detect. Any microbial growth that was not detected is assumed to be less than the stated LOD (<LOD).

Reagent Blanks: <LOD for all analytes



Luke Emerson-Mason
Laboratory Director
07/18/2024

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com

