

### Flower

Sample ID: BIA240730S0006 Strain: Apple Fritter

Matrix: Plant Type: Bulk Flower Sample Size: 4.95 g Lot#:

Produced: Collected: Received: 07/30/2024 Completed: 08/08/2024

**Bia Diagnostics** 

Colchester, VT 05446

(802) 540-0148 https://www.biadiagnostics.com/ Lic# TLAB0029

**QA** Testing


Completed

1 of 3

Batch#: HL 12

480 Hercules Drive Suite 101

Client King Cola Lic. # SCLT0161 Po Box 17 Williamstown, VT 05679



## Cannabinoids

	<b>9.40%</b> tal THC		0.05% Total CBD		<b>23.04%</b> Total Cannabinoids
Analyte	LOQ	Results	Results	Mass	
CBDVa CBDV CBDa CBGa CBG CBD THCV CBN A9-THC A8-THC A10-THC CBC THCa ThCa Total THC	mg/g 0.0005 0.0012 0.0008 0.0019 0.0019 0.0021 0.0013 0.0020 0.0019 0.0020 0.0019 0.0024 0.0024 0.0034	% <loq <loq 0.06 0.79 0.11 <loq <loq <loq <loq <loq <loq <loq <loq< td=""><td>mg/g <loq <loq 0.6 7.9 1.1 <loq <loq <loq <loq <loq <loq <loq <loq< td=""><td>mg/serving</td><td></td></loq<></loq </loq </loq </loq </loq </loq </loq </loq </loq </td></loq<></loq </loq </loq </loq </loq </loq </loq </loq </loq 	mg/g <loq <loq 0.6 7.9 1.1 <loq <loq <loq <loq <loq <loq <loq <loq< td=""><td>mg/serving</td><td></td></loq<></loq </loq </loq </loq </loq </loq </loq </loq </loq 	mg/serving	
Total CBD Total	99	0.05 23.04	0.50 230.40	0.00	

Analyst: 056

Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR TM with Photo Diode Array Detector (PDA)

Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:

TotalTHC=(THCAx0.877)+Δ9-THC

Total CBD = (CBDA x 0.877) + CBD Reagent Blanks: < LOQs for all analytes

LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the particular quantity subject to measurement.  $\Delta 9$ -THC MU = ±0.005% Total THC MU = ±0.007% All other cannabinoid MU values are available upon request.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.



ulle

Luke Emerson-Mason

Laboratory Director 08/08/2024

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com





## Flower

Sample ID: BIA240730S0006 Strain: Apple Fritter

Matrix: Plant Type: Bulk Flower Sample Size: 4.95 g Lot#:

#### Terpenes

Produced: Collected: Received: 07/30/2024 Completed: 08/08/2024 Batch#: HL 12

**Bia Diagnostics** 

Colchester, VT 05446

(802) 540-0148 480 Hercules Drive Suite 101 https://www.biadiagnostics.com/ Lic# TLAB0029

**QA** Testing

2 of 3

Client King Cola Lic. # SCLT0161 Po Box 17 Williamstown, VT 05679

Completed

Analyte	LOQ	Results	<b>Results</b>
	mg/g	mg/g	%
β-Myrcene	0.010	7.100	0.710
β-Caryophyllene	0.010	6.617	0.662
Ocimene	0.010	2.518	0.252
Limonene	0.010	2.457	0.246
α-Humulene	0.010	1.797	0.180
Linalool	0.010	1.704	0.170
β-Pinene	0.010	1.041	0.104
α-Pinene	0.010	0.898	0.090
α-Bisabolol	0.010	0.158	0.016
Camphene	0.010	0.104	0.010
Terpinolene	0.010	0.050	0.005
Caryophyllene Oxide	0.010	0.019	0.002
Eucalyptol	0.010	0.019	0.002
y-Terpinene	0.010	0.017	0.002
α-Terpinene	0.010	0.011	0.001
3-Carene	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
cis-Nerolidol	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Geraniol	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Guaiol	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Isopulegol	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
p-Cymene	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
trans-Nerolidol	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Total		24.512	2.451

Primary Aromas

<b>\$</b>	<b>V</b>	7		A CONTRACTOR OF
Hops	Cinnamon	Earthy	Orange	Lavender

Analyst: 048

LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).

Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS Reagent Blanks: < LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.



ulle Luke Emerson-Mason

Laboratory Director

08/08/2024

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com





# Flower

Sample ID: BIA240730S0006 Strain: Apple Fritter

Matrix: Plant Type: Bulk Flower Sample Size: 4.95 g Lot#:

#### Pathogens

Produced: Collected: Received: 07/30/2024 Completed: 08/08/2024 Batch#: HL 12

**Bia Diagnostics** 

Colchester, VT 05446

480 Hercules Drive Suite 101

Client King Cola Lic. # SCLT0161 Po Box 17 Williamstown, VT 05679

https://www.biadiagnostics.com/

(802) 540-0148

Lic# TLAB0029

QA Testing

3 of 3

Completed

Pathogens	LOD	Results
	CFU/g	CFU/g
Aspergillus	5	Not Detected
Shiga Toxin E. Coli	5	Not Detected
Salmonella SPP	5	Not Detected

Analyst: 018 Test Methodology: Bio-Rad IQ-Check PCR Kits cfu/g = colony forming units per gram LOD = The lowest quantity that this method can reliably detect. Any microbial growth that was not detected is assumed to be less than the stated LOD (<LOD). Reagent Blanks: <LOD for all analytes



ulle

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



Luke Emerson-Mason Laboratory Director 08/08/2024