

## Flower

 Sample ID: BIA240730S0005  
 Strain: Runtz

 Produced:  
 Collected:  
 Received: 07/30/2024  
 Completed: 08/08/2024  
 Batch#: HL 12

 Client  
**King Cola**  
 Lic. # SCLT0161  
 Po Box 17  
 Williamstown, VT 05679

 Matrix: Plant  
 Type: Bulk Flower  
 Sample Size: 5.29 g  
 Lot#:


## Summary

Test	Date Tested	Result
Sample		Complete
Cannabinoids	08/02/2024	Complete
Moisture	07/30/2024	12.90% - Complete
Water Activity	07/30/2024	0.637 aw - Complete
Terpenes	08/01/2024	Complete
Microbials	08/08/2024	Complete

## Cannabinoids

Completed

<b>20.71%</b> Total THC	<b>0.05%</b> Total CBD	<b>24.00%</b> Total Cannabinoids
----------------------------	---------------------------	-------------------------------------

Analyte	LOQ	Results	Results	Mass
	mg/g	%	mg/g	mg/serving
CBDVa	0.0005	<LOQ	<LOQ	
CBDV	0.0012	<LOQ	<LOQ	
CBDa	0.0008	0.06	0.6	
CBGa	0.0008	0.34	3.4	
CBG	0.0019	0.08	0.8	
CBD	0.0019	<LOQ	<LOQ	
THCV	0.0021	<LOQ	<LOQ	
CBN	0.0013	<LOQ	<LOQ	
Δ9-THC	0.0020	0.68	6.8	
Δ8-THC	0.0019	<LOQ	<LOQ	
Δ10-THC	0.0002	<LOQ	<LOQ	
CBC	0.0024	<LOQ	<LOQ	
THCa	0.0034	22.84	228.4	
<b>Total THC</b>		<b>20.71</b>	<b>207.14</b>	
<b>Total CBD</b>		<b>0.05</b>	<b>0.50</b>	
<b>Total</b>		<b>24.00</b>	<b>240.01</b>	<b>0.00</b>

Analyst: 056

Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)

Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:

$$\text{Total THC} = (\text{THCA} \times 0.877) + \Delta 9\text{-THC}$$

$$\text{Total CBD} = (\text{CBDA} \times 0.877) + \text{CBD Reagent}$$

Blanks: &lt; LOQs for all analytes

LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (&lt;LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the particular quantity subject to measurement. Δ9-THC MU = ±0.005% Total THC MU = ±0.007%

All other cannabinoid MU values are available upon request.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.




 Luke Emerson-Mason  
 Laboratory Director  
 08/08/2024

 Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)


## Flower

 Sample ID: BIA240730S0005  
 Strain: Runtz

 Produced:  
 Collected:  
 Received: 07/30/2024  
 Completed: 08/08/2024  
 Batch#: HL 12

 Client  
**King Cola**  
 Lic. # SCLT0161  
 Po Box 17  
 Williamstown, VT 05679


 Matrix: Plant  
 Type: Bulk Flower  
 Sample Size: 5.29 g  
 Lot#:

## Terpenes

Completed

Analyte	LOQ	Results	Results
	mg/g	mg/g	%
Limonene	0.010	4.696	0.470
Ocimene	0.010	3.778	0.378
β-Myrcene	0.010	3.624	0.362
β-Caryophyllene	0.010	3.231	0.323
Linalool	0.010	2.418	0.242
β-Pinene	0.010	1.449	0.145
α-Pinene	0.010	1.010	0.101
α-Humulene	0.010	0.892	0.089
Camphene	0.010	0.170	0.017
Terpinolene	0.010	0.143	0.014
Eucalyptol	0.010	0.064	0.006
γ-Terpinene	0.010	0.020	0.002
Geraniol	0.010	0.019	0.002
Caryophyllene Oxide	0.010	0.017	0.002
α-Terpinene	0.010	0.013	0.001
3-Carene	0.010	<LOQ	<LOQ
α-Bisabolol	0.010	<LOQ	<LOQ
cis-Nerolidol	0.010	<LOQ	<LOQ
Guaiol	0.010	<LOQ	<LOQ
Isopulegol	0.010	<LOQ	<LOQ
p-Cymene	0.010	<LOQ	<LOQ
trans-Nerolidol	0.010	<LOQ	<LOQ
<b>Total</b>		<b>21.543</b>	<b>2.154</b>

## Primary Aromas



Analyst: 048

LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (&lt;LOQ).

Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS

Reagent Blanks: &lt; LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.




 Luke Emerson-Mason  
 Laboratory Director  
 08/08/2024

 Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)


## Flower

Sample ID: BIA240730S0005  
Strain: Runtz

Produced:  
Collected:  
Received: 07/30/2024  
Completed: 08/08/2024  
Batch#: HL 12

Client  
**King Cola**  
Lic. # SCLT0161  
Po Box 17  
Williamstown, VT 05679

Matrix: Plant  
Type: Bulk Flower  
Sample Size: 5.29 g  
Lot#:

## Pathogens

Completed

Pathogens	LOD	Results
	CFU/g	CFU/g
Aspergillus	5	Not Detected
Shiga Toxin E. Coli	5	Not Detected
Salmonella SPP	5	Not Detected

Analyst: 018

Test Methodology: Bio-Rad IQ-Check PCR Kits

cfu/g = colony forming units per gram

LOD = The lowest quantity that this method can reliably detect. Any microbial growth that was not detected is assumed to be less than the stated LOD (<LOD).

Reagent Blanks: <LOD for all analytes




Luke Emerson-Mason  
Laboratory Director  
08/08/2024

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)

