

Flower

 Sample ID: BIA250715S0005
 Strain: Sour Tangie

 Produced:
 Collected:
 Received: 07/15/2025
 Completed: 07/24/2025
 Batch#: HL 18

 Client
King Cola
 Lic. # SCLT0161
 Po Box 17
 Williamstown, VT 05679

 Matrix: Plant
 Type: Flower - Cured
 Sample Size: 6.01 g
 Lot#:


Summary

Test	Date Tested	Result
Sample		Complete
Cannabinoids	07/18/2025	Complete
Moisture	07/15/2025	12.00% - Complete
Water Activity	07/15/2025	0.611 aw - Complete
Terpenes	07/16/2025	Complete
Microbials	07/24/2025	Complete

Cannabinoids

Completed

23.00%			0.09%			27.48%			
Total THC			Total CBD			Total Cannabinoids			
Analyte	LOQ	Results	Results	Mass	Analyte	LOQ	Results	Results	Mass
	mg/g	%	mg/g	mg/serving		mg/g	%	mg/g	mg/serving
CBDVa	0.0003	<LOQ	<LOQ		CBCVa	0.0003	<LOQ	<LOQ	
CBDV	0.0003	<LOQ	<LOQ		CBNa	0.0003	<LOQ	<LOQ	
CBDa	0.0005	0.10	1.0		Δ9-THC	0.0005	0.67	6.7	
CBGa	0.0005	0.65	6.5		Δ8-THC	0.0003	<LOQ	<LOQ	
CBG	0.0005	0.17	1.7		Δ10-THC*	0.0002	<LOQ	<LOQ	
CBD	0.0005	<LOQ	<LOQ		CBL	0.0005	<LOQ	<LOQ	
THCV	0.0003	<LOQ	<LOQ		CBC	0.0003	<LOQ	<LOQ	
CBLV	0.0003	<LOQ	<LOQ		THCa	0.0005	25.46	254.6	
CBCV	0.0003	<LOQ	<LOQ		CBCa	0.0006	0.25	2.5	
THCVa	0.0003	0.17	1.7		CBLa	0.0005	<LOQ	<LOQ	
CBN	0.0005	<LOQ	<LOQ		Total THC		23.00	229.97	
					Total CBD		0.09	0.87	
					Total		27.48	274.79	0.00

Analyst: 056

Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)

Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:

$$\text{Total THC} = (\text{THCA} \times 0.877) + \Delta 9\text{-THC}$$

$$\text{Total CBD} = (\text{CBDA} \times 0.877) + \text{CBD Reagent}$$

Blanks: < LOQs for all analytes

LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the

particular quantity subject to measurement. Δ9-THC MU = ±0.005% Total THC MU = ±0.007%

All other cannabinoid MU values are available upon request.

All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.

*The result is the sum of delta-10 isomers.




 Luke Emerson-Mason
 Laboratory Director
 07/24/2025

 Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com


Flower

 Sample ID: BIA250715S0005
 Strain: Sour Tangie

 Produced:
 Collected:
 Received: 07/15/2025
 Completed: 07/24/2025
 Batch#: HL 18

 Client
King Cola
 Lic. # SCLT0161
 Po Box 17
 Williamstown, VT 05679


 Matrix: Plant
 Type: Flower - Cured
 Sample Size: 6.01 g
 Lot#:

Terpenes

Completed

Analyte	LOQ	Results	Results
	mg/g	mg/g	%
Terpinolene	0.010	4.548	0.455
β-Myrcene	0.010	3.500	0.350
Limonene	0.010	2.317	0.232
β-Pinene	0.010	2.208	0.221
β-Caryophyllene	0.010	1.845	0.185
Linalool	0.010	1.401	0.140
α-Pinene	0.010	1.317	0.132
Ocimene	0.010	1.162	0.116
3-Carene	0.010	1.012	0.101
α-Humulene	0.010	0.672	0.067
γ-Terpinene	0.010	0.341	0.034
α-Terpinene	0.010	0.309	0.031
Geraniol	0.010	0.144	0.014
Eucalyptol	0.010	0.100	0.010
Camphene	0.010	0.061	0.006
α-Bisabolol	0.010	0.024	0.002
Caryophyllene Oxide	0.010	0.019	0.002
cis-Nerolidol	0.010	<LOQ	<LOQ
Guaiol	0.010	<LOQ	<LOQ
Isopulegol	0.010	<LOQ	<LOQ
p-Cymene	0.010	<LOQ	<LOQ
trans-Nerolidol	0.010	<LOQ	<LOQ
Total		20.981	2.098

Primary Aromas



Analyst: 052

LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).

Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS

Reagent Blanks: < LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.




 Luke Emerson-Mason
 Laboratory Director
 07/24/2025

 Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com


Flower

Sample ID: BIA250715S0005
Strain: Sour Tangie

Produced:
Collected:
Received: 07/15/2025
Completed: 07/24/2025
Batch#: HL 18

Client
King Cola
Lic. # SCLT0161
Po Box 17
Williamstown, VT 05679

Matrix: Plant
Type: Flower - Cured
Sample Size: 6.01 g
Lot#:

Pathogens

Completed

Pathogens	LOD	Results
	CFU/g	CFU/g
Aspergillus	5	Not Detected
Shiga Toxin E. Coli	5	Not Detected
Salmonella SPP	5	Not Detected

Analyst: 018

Test Methodology: Bio-Rad IQ-Check PCR Kits

cfu/g = colony forming units per gram

LOD = The lowest quantity that this method can reliably detect. Any microbial growth that was not detected is assumed to be less than the stated LOD (<LOD).

Reagent Blanks: <LOD for all analytes




Luke Emerson-Mason
Laboratory Director
07/24/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

