

Frittato

Sample ID: BIA260331S0795

Strain: PL # SCLT0161-21 F

Harvest Lot: 21

Matrix: Plant

Type: Flower - Cured

Sample Size: 7.9 g

Lot#:

Produced:
Collected:

Received: 03/31/2026

Completed: 04/09/2026

Batch#: PL # SCLT0161-21 F

Client
King Cola

Lic. # SCLT0161

Po Box 17

Williamstown, VT 05679



Summary

Test	Date Tested	Result
Sample		Complete
Cannabinoids	04/01/2026	Complete
Moisture	03/31/2026	12.50% - Complete
Water Activity	03/31/2026	0.620 aw - Complete
Terpenes	04/02/2026	Complete
Microbials	04/09/2026	Complete

Cannabinoids

Completed

23.76%					0.08%					29.88%				
Total THC					Total CBD					Total Cannabinoids				
Analyte	LOQ	Results	Results	Mass	Analyte	LOQ	Results	Results	Mass	Analyte	LOQ	Results	Results	Mass
	mg/g	%	mg/g	mg/serving		mg/g	%	mg/g	mg/serving		mg/g	%	mg/g	mg/serving
CBDVa	0.0003	<LOQ	<LOQ		CBCVa	0.0003	<LOQ	<LOQ						
CBDV	0.0003	<LOQ	<LOQ		CBNa	0.0003	0.06	0.6						
CBDa	0.0005	0.09	0.9		Δ9-THC	0.0005	0.61	6.1						
CBGa	0.0005	2.14	21.4		Δ8-THC	0.0003	<LOQ	<LOQ						
CBG	0.0005	0.15	1.5		Δ10-THC*	0.0002	<LOQ	<LOQ						
CBD	0.0005	<LOQ	<LOQ		CBL	0.0005	<LOQ	<LOQ						
THCV	0.0003	<LOQ	<LOQ		CBC	0.0003	<LOQ	<LOQ						
CBLV	0.0003	<LOQ	<LOQ		THCa	0.0005	26.40	264.0						
CBCV	0.0003	<LOQ	<LOQ		CBCa	0.0006	0.24	2.4						
THCVa	0.0003	0.21	2.1		CBLa	0.0005	<LOQ	<LOQ						
CBN	0.0005	<LOQ	<LOQ		Total THC		23.76	237.56						
					Total CBD		0.08	0.78						
					Total		29.88	298.84	0.00					

Analyst: 063

Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)

Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:

$$\text{Total THC} = (\text{THCA} \times 0.877) + \Delta 9\text{-THC}$$

$$\text{Total CBD} = (\text{CBDA} \times 0.877) + \text{CBD Reagent}$$

Blanks: < LOQs for all analytes

LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the particular quantity subject to measurement. Δ9-THC MU = ±0.005% Total THC MU = ±0.007%

All other cannabinoid MU values are available upon request.

All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.

*The result is the sum of delta-10 isomers.




 Luke Emerson-Mason
 Laboratory Director
 04/09/2026

 Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com


Frittato

Sample ID: BIA260331S0795

Strain: PL # SCLT0161-21 F

Harvest Lot: 21

Matrix: Plant

Type: Flower - Cured

Sample Size: 7.9 g

Lot#:

Produced:

Collected:

Received: 03/31/2026

Completed: 04/09/2026

Batch#: PL # SCLT0161-21 F

Client

King Cola

Lic. # SCLT0161

Po Box 17

Williamstown, VT 05679

Terpenes

Completed

Analyte	LOQ	Results	Results
	mg/g	mg/g	%
β-Myrcene	0.010	3.192	0.319
trans-Ocimene	0.010	2.769	0.277
Limonene	0.010	1.650	0.165
β-Caryophyllene	0.010	1.505	0.151
α-Pinene	0.010	1.281	0.128
Linalool	0.010	1.278	0.128
α-Humulene	0.010	0.692	0.069
β-Pinene	0.010	0.612	0.061
Camphene	0.010	0.121	0.012
cis-Ocimene	0.010	0.099	0.010
α-Bisabolol	0.010	0.052	0.005
Terpinolene	0.010	0.041	0.004
Eucalyptol	0.010	0.033	0.003
Geraniol	0.010	0.026	0.003
γ-Terpinene	0.010	0.025	0.003
α-Terpinene	0.010	0.020	0.002
Caryophyllene Oxide	0.010	0.020	0.002
3-Carene	0.010	<LOQ	<LOQ
cis-Nerolidol	0.010	<LOQ	<LOQ
Guaiol	0.010	<LOQ	<LOQ
Isopulegol	0.010	<LOQ	<LOQ
p-Cymene	0.010	<LOQ	<LOQ
trans-Nerolidol	0.010	<LOQ	<LOQ
Total		13.416	1.342

Primary Aromas

 Hops	 Earthy	 Orange	 Cinnamon	 Pine
---	---	---	---	---

Analyst: 063

LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).

Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS

Reagent Blanks: < LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.




 Luke Emerson-Mason
 Laboratory Director
 04/09/2026

 Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com




Frittato

Sample ID: BIA260331S0795

Strain: PL # SCLT0161-21 F

Harvest Lot: 21

Matrix: Plant

Type: Flower - Cured

Sample Size: 7.9 g

Lot#:

Produced:

Collected:

Received: 03/31/2026

Completed: 04/09/2026

Batch#: PL # SCLT0161-21 F

Client

King Cola

Lic. # SCLT0161

Po Box 17

Williamstown, VT 05679

Pathogens

Completed

Pathogens	LOD	Results
	CFU/g	CFU/g
Aspergillus	5	Not Detected
Shiga Toxin E. Coli	5	Not Detected
Salmonella SPP	5	Not Detected

Analyst: 018

Test Methodology: Bio-Rad IQ-Check PCR Kits

cfu/g = colony forming units per gram

LOD = The lowest quantity that this method can reliably detect. Any microbial growth that was not detected is assumed to be less than the stated LOD (<LOD).

Reagent Blanks: <LOD for all analytes



Luke Emerson-Mason
Laboratory Director
04/09/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

